${f Aspasom}$ Tablet Tiemonium Methylsulfate INN 50 mg

Composition:

Each film-coated tablet contains Tiemonium Methylsulfate INN 50 mg.

Indication:

Aspasom (Tiemonium Methylsulfate) is a synthetic antispasmodic which is used in relief of spasmodic visceral pain. It is indicated for visceral muscle spasm such as spasm of intestine, biliary system, urinary bladder and uterus. It is also recommended in the treatment of pain related to gastrointestinal, biliary, urological and gynaecological diseases such as gastroenteritis, diarrhoea, dysentery, biliary colic, enterocolitis. cholecystitis, colonopathies, mild cystitis dysmenorrhoea.

Dosage and administration:

The usual adult dosage is 100-300 mg (2-6) tablets per day in divided doses depending on the nature of pain:

Mild pain : 1 tablet twice daily. Moderate pain: 1 tablet thrice daily. Severe pain : 2 tablets thrice daily or as advised by the physician.

Side effects:

This drug can cause undesirable effects like dry mouth, thickened bronchial secretions, dry eye, visual disturbances, cardiac disorders, constipation, urinary disorders, irritation, mental confusion in elderly subjects.

Contraindication:

Tiemonium methylsulfate should not be used in cases of glaucoma, difficulty to urinate (disorder of prostate or bladder), paralytic ileus, pyloric stenosis, tachycardia, myocardial infarction, acute oedema of the lungs and lactating mother.

Drug interaction:

Not known.

Use in pregnancy and lactation:

Pregnancy: The use of this drug is not recommended during pregnancy, unless prescribed by physician.

Lactation: The use of this drug is contraindicated while breast-feeding. If it is considered necessary, breast-feeding should be stopped.

Warning and Precautions:

Precautions should be taken in case of the following diseases:

Disorders of the prostate, severe deficiency of the kidney or liver, cardiac disorders, thyroid disorders, chronic bronchitis, certain gastrointestinal diseases, pregnancy and lactating mother.

Pharmaceutical Precautions:

Store in a cool, dry place, away from light. Keep out of reach of children.

Commercial Pack:

Box containing 3X10 tablets in blister pack.

